

PS&G Commercial & Industrial Midstream Measure List **Non-Lighting**

Program Year 7/1/2025 - 6/30/2026

(Last updated 11/7/2025)



All incentives provided are up to the listed per ton, MBh, or per unit rate.

	CENTRAL DX						
Unitary HVAC	Singl	le Package Syst	em, Non-Residential				
MSH-E-2001	≤ 5.4 Tons		Tier1 15.2 ≤ SEER2 < 17.0, EER2 ≥10.8	\$250/ ton			
MSH-E-2002			Tier 2 SEER2 ≥ 17.0, EER2 ≥ 10.8	\$300/ ton			
Unitary HVAC	Unitary HVAC Split System, Non-Residential						
MSH-E-2003	≤ 5.4 Tons		Tier 1 15.2 ≤ SEER2 < 17.0, EER2 ≥10.8	\$250/ ton			
MSH-E-2004			Tier 2 SEER2 ≥ 17.0, EER2 ≥ 10.8	\$300/ ton			
Large Central	Air C	onditioner					
MSH-E-2006	≥65,000 - <135,000 btu/hr		IEER ≥15.4, EER ≥11.0	\$300/ ton			
MSH-E-2007	≥135,000 - <240,000 btu/hr		IEER≥15.0, EER≥10.8	\$300/ ton			
HEAT PUMP WATER HEATERS							
Heat Pump Water Heater, Tanked, Non-Residential							
MWH-E- 2000 Heat Pump Wa 55 gallons,			/ater Heater, size ≤	\$1,500/ unit			
MWH-E- 2001 Heat Pump W 55 gallons,			/ater Heater, size >	\$1,500/ unit			

INSTANTANEOUS WATER HEATER				
MWH-G-2000	DHW Instantaneous, Gas-Fired, > 200,000 Btu/h, >= 94% Thermal	\$2000/ unit		

GAS BOILERS ¹						
Hot Water, Combination Boilers, Non-Residential						
MSH-G-2014	Natural gas, Combination AFUE	\$2,500/ boiler				
Hot Water Cor						
MSH-G-2000	< 300 MBH, Tier 1, 90% <	AFUE ≤ 95%	\$1000/ boiler			
MSH-G-2001	< 300 MBH, Tier 2, > 95%	AFUE	\$9.00/ MBh			
MSH-G-2002	≥ 300 MBH & ≤ 2500 MBH Thermal Efficiency ≤ 94%	\$4.00/ MBh				
MSH-G-2003	≥ 300 MBH & ≤ 2500 MBH Efficiency > 94%	\$9.00/ MBh				
MSH-G-2004	> 2500 MBH, Tier1, 81% < Efficiency <= 88%	\$5.00/ MBh				
MSH-G-2005	> 2500 MBH, Tier2, Them 88%	\$9.00/ MBh				
Hot Water, No	n-Condensing Boilers, Non-I	Residential				
MSH-G-2006	Natural gas, hot water, not boiler, < 300 MBH, AFUE	\$6.00/ MBh				
MSH-G-2007	Natural gas, hot water, no boiler, >= 300 MBH & <= Thermal Efficiency >= 82%	\$5.00/ MBh				
MSH-G-2008	Natural gas, hot water, nor boiler, > 2500 MBH, Coml Efficiency >= 84%	\$3.00/ MBh				
Steam, Non-Residential						
MSH-G-2013	All except natural draft, non-condensing	> 2500 MBH	\$3.00/ MBh			
MSH-G-2012	boiler,≥81% Thermal Efficiency	≥ 300 MBH & ≤ 2500 MBH	\$2.00/ MBh			

¹AHRI or Energy Star Certification should not be obsolete.

SMART THERMOSTAT				
MSH-D-2013	Non-Residential, Energy Star Certified Smart Thermostat. Must be smart; not a simple programable thermostat. Must show learning capabilities	\$150/ unit		



			DUCTLES	SS MII	NI SPLITS		
MSH-E-2005	Air Conditioners All Sizes		SEER2 ≥ 17.0, EER2 ≥ 10.8 Non-Residential			\$250/ ton	
MSH-D-2009	Ductless Heat Pumps all sizes			otless, Mini-Split Heat Pump, Cold Climate, SEER2 >= 17.0, EER2 >= 11.5, PF2 >= 8.4, Non-Residential			\$250/ ton
MSH-D-2010	Ductless Heat Pumps all sizes					\$200/ ton	
			DUC	TED A	IR SOURCE HEAT PUMPS		
					PTAC		
MSH-E-2008	PTAC	Notes:	(14-(0.3 x CapC))*1.03	nacity (and is in kRtu/h		\$175/ ton
	*The CapC denotes cooling capacity and is in kBtu/h *If the cooling capacity for a PTAC is less than or equal to 7.0 kBtu/h, the qualifying EER is ≥ 12.30						
	*If the cooling capacity for a PTAC is greater than or equal to 15.0 kBtu/h, the qualifying EER is ≥ 9.80						
				AIRSC	DURCE HEAT PUMPS		
MSH-D-2001			ump, Cold Climate, Sin SPF2 >= 8.1, Tier 1, No		ckage System, <=5.4 Tons, 15.2 <= SEER2 < 17.0, idential		\$250/ ton
MSH-D-2002	Air Source Heat Pump, Cold Climate, Single Package System, <=5.4 Tons, SEER2 >= 17.0, EER2 >= 10.8, HSPF2 >= 8.4, Tier 2, Non-Residential				\$300/ ton		
MSH-D-2003		Air Source Heat Pump, Non-Cold Climate, Single Package System, <=5.4 Tons, 15.2 <= SEER2 < \$175/ tor 17.0, EER2 >= 10.8, HSPF2 >= 8.1, Tier 1, Non-Residential					
MSH-D-2004		Air Source Heat Pump, Non-Cold Climate, Single Package System, <=5.4 Tons, SEER2 >= 17.0, \$250/ to EER2 >= 10.8, HSPF2 >= 8.4, Tier 2, Non-Residential				\$250/ ton	
MSH-D-2005		Air Source Heat Pump, Cold Climate, Split System, <=5.4 Tons, 15.2 <= SEER2 < 17.0, EER2 >= \$250/ 11.5, HSPF2 >= 8.1, Tier 1, Non-Residential				\$250/ ton	
MSH-D-2006	Air Source Heat Pump, Cold Climate, Split System, <=5.4 Tons, SEER2 >= 17.0, EER2 >= 11.5, HSPF2 >= 8.4, Tier 2, Non-Residential				\$300/ ton		
MSH-D-2007	Air Source Heat Pump, Non-Cold Climate, Split System, <=5.4 Tons, 15.2 <= SEER2 < 17.0, EER2 >= 11.5, HSPF2 >= 8.1, Tier 1, Non-Residential				\$175/ ton		
MSH-D-2008	Air Source Heat Pump, Non-Cold Climate, Split System, <=5.4 Tons, SEER2 >= 17.0, EER2 >= 11.5, HSPF2 >= 8.4, Tier 2, Non-Residential			\$250/ ton			
				G	AS FURNACES ¹		
Furnace – Nor	n-Residenti	al					
MSH-G-2015	5 Tier 1 Gas Furnace, <225 kBtu/hr 95%≤ AFUE ≤97% \$1,150				1,150		
MSH-G-2016	Tier 2	Gas Furna	ace, <225 kBtu/hr		>97% AFUE	\$1,500	

Midstream Instant Rebate incentives are only available for eligible products and current PSE&G commercial customers. To be in compliance with program rules, all projects seeking incentive reimbursement on eligible products must be installed within the current program year. All incentive levels listed above are only valid within the program year. In addition, all other program rules and procedures must be followed to be eligible for rebates or to participate in the program.

How to Get Started

To determine if you're eligible, find qualifying distributors, and learn more about the PSE&G Instant Rebate Program, scan this QR code or visit bizsave.PSEG.com

